

| T Mumbon | 11:40 | Conveb Mout | DD | Time stamp |
|----------|------------|--|-----------------------|-----------------------------|
| L Number | Hits 44 | Search Text 'scene data' same encode\$3 | DB USPAT; | Time stamp 2004/04/28 10:49 |
| * | "" | Scene data Same encoders | US-PGPUB; | 2004/04/20 10.45 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 2 | 18 | 'scene data' same encode\$3 same video | USPAT; | 2004/04/28 10:59 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | 1 |
| | | | DERWENT; IBM TDB | |
| 3 | 10 | ("5373310" "5521927" "5726989" | USPAT | 2004/04/28 10:51 |
| 1 | 1 | "5798804" "5949792" "6044397" | 001111 | 2004/01/20 10:01 |
| | | "6064796" "6072832" "6111979" | | |
| | | "6141385").PN. | | |
| 4 | 3713 | multiplex\$3 near10 format\$4 near10 data | USPAT; | 2004/04/28 10:59 |
| | | | US-PGPUB; | |
| | i | | EPO; JPO; | |
| | | | DERWENT; IBM TDB | |
| 5 | 497 | (multiplex\$3 near10 format\$4 near10 data) | USPAT; | 2004/04/28 10:59 |
| * | | with video | US-PGPUB; | 2001,01,20 20.03 |
| | | | EPO; JPO; | |
| | 1 | | DERWENT; | |
| | | | IBM_TDB | |
| 6 | 89 | , | USPAT; | 2004/04/28 11:00 |
| | | with video with encod\$3 | US-PGPUB; | |
| | | | EPO; JPO; DERWENT; | |
| | | | IBM TDB | |
| 7 | 58 | ((multiplex\$3 near10 format\$4 near10 data) | USPAT; | 2004/04/28 11:12 |
| | | with video with encod\$3) and | US-PGPUB; | |
| | | (@ad<=19991210 or @rlad<=19991210) | EPO; JPO; | |
| | | | DERWENT; | |
| 8 | 1 | Manaill in and tlau hitt and | IBM_TDB | 0004/04/00 11 12 |
| 8 | 1 | Mcneill.in. and 'low bit' and (@ad<=19991210 or @rlad<=19991210) | USPAT; US-PGPUB; | 2004/04/28 11:13 |
| | | (ead\-19991210 of effad\-19991210) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| - | 53046 | Arazi.in. or chen.in. | USPĀT; | 2002/12/09 16:30 |
| | | | US-PGPUB; | |
| i | | | EPO; JPO; | |
| | | | DERWENT; | |
| _ | 188 | (Arazi.in. or chen.in.) and (725/\$.ccls. | USPAT; | 2002/12/09 16:31 |
| Į. | | or 709/\$.ccls.) | US-PGPUB; | 2002, 12, 03 10.31 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 00000 | // | IBM_TDB | 0000/10/11 15 55 |
| - | 92368 | ((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or | USPAT; US-PGPUB; | 2002/12/11 17:37 |
| | | auxiliary or associate\$1 or program)near2 | EPO; JPO; | |
| | | (design or information or data or | DERWENT; | |
| | | content)) with (video or TV or CATV or | IBM TDB | |
| | | television or image or content) | _ | |
| - | 31 | ((Arazi.in. or chen.in.) and (725/\$.ccls. | USPAT; | 2002/12/09 16:41 |
| | | or 709/\$.ccls.)) and (((addition\$5 or | US-PGPUB; | |
| | | supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or | EPO; JPO; DERWENT; | |
|] | | program) near2 (design or information or | IBM TDB | |
| | | data or content)) with (video or TV or CATV | | |
| | | or television or image or content)) | | |
|] - | 16 | ((() = = = = = = = = = = = = = = = = | USPAT; | 2002/12/09 17:39 |
| | | or 709/\$.ccls.)) and (((addition\$5 or | US-PGPUB; | |
| [| | supplementa\$3 or subsidiary or ancillary | EPO; JPO; | |
| | | or control or auxiliary or associate\$1 or program)near2 (design or information or | DERWENT; IBM TDB | |
| | | data or content)) with (video or TV or CATV | 100_100 | |
| | | or television or image or content))) and | | |
| ĺ | ļ | (@ad<=19991210 or @rlad<=19991210) | | |
| <u> </u> | 3 | ("4449249" "5526035" "5534944").PN. | USPAT | 2002/12/09 16:51 |

| | | | T | 1 4000 400 46 50 1 |
|-------------|----------------|--|---|--|
| - | 18 23 | 5917830.URPN. ("4755993" "5168353" "5267334" "5305113" "5315584" "5319707" "5359601" "5386213" "5400401" "5418782" "5420640" "5420866" "5448568" "5452006" "5461619" | USPAT USPAT | 2002/12/09 16:53 2002/12/09 17:01 |
| - - - | . 4 4 26 | "5493339" "5506904" "5519780" "5583562" "5612742" "5650825" "5757416" "5793410").PN. 5793410.URPN. 5793410.URPN. ("4760442" "4995078" "5029333" "5206722" "5247347" "5287539" | USPAT USPAT USPAT | 2002/12/09 17:17 2002/12/09 17:20 2002/12/09 17:21 |
| | | "5303229" "5341474" "5349457" "5371532" "5387927" "5394559" "5396546" "5404393" "5408260" "5410343" "5414455" "5442390" "5446735" "5533018" "5550577" "5557317" "5583561" "5583864" "5594491" "5603058") .PN. | | |
| _ | 4595 | Rao.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/09 17:37 |
| _ | 3 | Rao.in.and 725/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/09 17:38 |
| _ | 95 | 725/95,96.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/09 17:39 |
| - | 67 | 725/95,96.ccls. and (@ad<=19991210 or @rlad<=19991210) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/09 17:42 |
| - | 51 | 725/95,96.ccls. and (@ad<=19991210 or @rlad<=19991210) and (mux or multiplex\$3 or combin\$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/09 17:59 |
| - | 26 | (((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or content)) with (video or TV or CATV or television or image or content)) and (725/95,96.ccls. and (@ad<=19991210 or @rlad<=19991210) and (mux or multiplex\$3 or combin\$5)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/12/11 10:02 |
| _ | 634 | 725/48,54,98,116,118,146-148.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/09 17:58 |
| - | 326 | 725/48,54,98,116,118,146-148.ccls. and (((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or content))with (video or TV or CATV or television or image or content)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/12/09 17:59 |

| | | | | • |
|---|--------|--|---|------------------|
| - | 242 | (725/48,54,98,116,118,146-148.ccls. and (((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or | USPAT; US-PGPUB; EPO; JPO; | 2002/12/09 18:01 |
| | | auxiliary or associate\$1 or program)near2 (design or information or data or content))with (video or TV or CATV or | DERWENT; IBM_TDB | |
| | | television or image or content))) and (@ad<=19991210 or @rlad<=19991210)and (mux or multiplex\$3 or combin\$5) | | |
| _ | 135 | (725/48,54,98,116,118,146-148.ccls. and (((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/09 19:00 |
| | | content))with (video or TV or CATV or television or image or content))) and (@ad<=19991210 or @rlad<=19991210)and ((mux or multiplex\$3 or combin\$5)same (server or head\$1end or 'head end' or 'CO' | _ | |
| _ | 665 | or (central near2 office) or provider)) | USPAT; US-PGPUB; EPO; JPO; | 2002/12/09 19:24 |
| - | 236 | 'head end' or 'CO' or (central near2 office) or provider)) (709/217,219.ccls. and (@ad<=19991210 or @rlad<=19991210) and ((mux or multiplex\$3 | DERWENT; IBM_TDB USPAT; US-PGPUB; | 2002/12/09 19:23 |
| | | or combin\$5)same (server or head\$1end or 'head end' or 'CO' or (central near2 office) or provider))) and (((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or | EPO; JPO; DERWENT; IBM_TDB | |
| | | associate\$1 or program)near2 (design or information or data or content))with (video or TV or CATV or television or image or content)) | | |
| _ | 24 | 709/217,219.ccls. and (@ad<=19991210 or @rlad<=19991210) and ((mux or multiplex\$3 or combin\$5) same (server or head\$1end or 'head end' or 'CO' or (central near2 office) or provider)) same (((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program) near2 (design or information or data or content)) with (video or TV or CATV | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/12/10 13:39 |
| _ | 2 | or television or image or content)) 5579527.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2002/12/10 13:39 |
| _ | 310627 | ((IP or protocol or command or control) with (convert\$3 or transform\$3 or MPEG\$2)) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2002/12/11 10:00 |
| _ | 7397 | ((IP or protocol or command or control) with (convert\$3 or transform\$3 or MPEG\$2))same (multiplex\$3 or combin\$3 or modulat\$3 or encod\$3)same (program or | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2002/12/11 10:02 |
| _ | 1535 | stream or video or TV or television) ((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2002/12/11 10:05 |
| | | content))same (((IP or protocol or command or control) with (convert\$3 or transform\$3 or MPEG\$2))same (multiplex\$3 or combin\$3 or modulat\$3 or encod\$3)same (program or stream or video or TV or television)) | IBM_TDB | |

| _ | 243 | (((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 | USPAT; US-PGPUB; EPO; JPO; | 2003/05/29 15:31 |
|---|-----|---|---|------------------|
| | | (design or information or data or content))same (((IP or protocol or command or control) with (convert\$3 or transform\$3 or MPEG\$2))same (multiplex\$3 or combin\$3 or modulat\$3 or encod\$3)same (program or stream or video or TV or television))) and (725/\$ or 709/\$).ccls. | DERWENT; IBM_TDB | |
| - | 167 | ((((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or content))same (((IP or protocol or command or control) with (convert\$3 or transform\$3 or MPEG\$2))same (multiplex\$3 or combin\$3 or modulat\$3 or encod\$3)same (program or stream or video or TV or television))) and (725/\$ or 709/\$).ccls.) and (@ad<=19991210 or @rlad<=19991210) and (server or | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/12/11 12:48 |
| - | 10 | head\$lend or 'head end' or 'CO' or (central near2 office) or provider) (IP or 'internet protocol') with (ASI or 'asynchronous serial interface') | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/11 12:53 |
| - | 8 | ((IP or 'internet protocol') with (ASI or 'asynchronous serial interface')) and (@ad<=19991210) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/11 13:03 |
| - | 16 | (IP or 'internet protocol') same (ASI or 'asynchronous serial interface') | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/11 12:53 |
| - | 8 | <pre>(((IP or 'internet protocol') same (ASI or 'asynchronous serial interface')) not (((IP or 'internet protocol') with (ASI or 'asynchronous serial interface')) and (@ad<=19991210 or @rlad<=19991210)))</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/11 12:54 |
| - | 2 | <pre>((((IP or 'internet protocol') same (ASI or 'asynchronous serial interface')) not (((IP or 'internet protocol') with (ASI or 'asynchronous serial interface')) and (@ad<=19991210 or @rlad<=19991210))) and (@ad<=19991210 or @rlad<=19991210)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/12/11 14:15 |
| _ | 10 | ((IP or 'internet protocol') same (ASI or 'asynchronous serial interface')) and (@ad<=19991210) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/11 14:26 |
| - | 6 | (statistical near2 multiplex\$3) same (availability near2 bandwidth) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/11 14:25 |
| _ | 3 | ((statistical near2 multiplex\$3) same (availability near2 bandwidth)) and (@ad<=19991210) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/11 14:15 |
| - | 424 | (statistical near2 multiplex\$3) same (bandwidth) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/11 14:25 |

| | | | | • |
|---|-------|--|--|------------------|
| _ | 269 | (statistical near2 multiplex\$3) with (bandwidth) | USPAT; US-PGPUB; | 2002/12/11 14:25 |
| | | | EPO; JPO; DERWENT; IBM TDB | |
| - | 38 | ((statistical near2 multiplex\$3) with (bandwidth)) and (725/\$.ccls. or 709/\$.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2002/12/11 14:26 |
| _ | 24 | (((statistical near2 multiplex\$3) with (bandwidth)) and (725/\$.ccls. or 709/\$.ccls.) and (@ad<=19991210 or @rlad<=19991210) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2002/12/11 17:37 |
| _ | 10974 | (((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or | IBM_TDB USPAT; US-PGPUB; | 2002/12/11 17:52 |
| _ | 554 | auxiliary or associate\$1 or program)near2 (design or information or data or content))or IP)same (priorit\$4) ((((addition\$5 or supplementa\$3 or | EPO; JPO; DERWENT; IBM_TDB USPAT; | 2002/12/11 17:56 |
| | | subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or content))or IP)with (priorit\$4))same (mux or multiplex\$3 or combin\$3 or insert\$3) | US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | |
| _ | 326 | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/11 17:57 |
| - | 74120 | or multiplex\$3 or combin\$3 or insert\$3) insert\$3 with prior\$6 | USPAT; US-PGPUB; EPO; JPO; | 2002/12/11 17:57 |
| - | 19389 | (725/\$ or 709/\$).ccls. and (@ad<=19991210 or @rlad<=19991210) | DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2002/12/11 17:58 |
| - | 28 | <pre>(((((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or content))or IP)with (priorit\$4))with (mux</pre> | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/12/11 18:09 |
| | | or multiplex\$3 or combin\$3 or insert\$3)) and ((725/\$ or 709/\$).ccls. and (@ad<=19991210 or @rlad<=19991210)) | _ | |
| - | 460 | <pre>(insert\$3 with prior\$6) and ((725/\$ or 709/\$).ccls. and (@ad<=19991210 or @rlad<=19991210))</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2002/12/11 17:59 |
| - | 1 | ('high speed' near3 ASI) or (HS\$1ASI) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2003/05/29 14:25 |
| - | 0 | ('high speed' near3 ASI) or (HS\$1ASI) and 'in band' | IBM_TDB USPAT; US-PGPUB; EPO; JPO; | 2003/05/29 14:29 |
| - | 8672 | ('high speed' near3 ASI) or (HS\$1ASI) or 'in band' or in\$1band | DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; | 2003/05/29 14:32 |
| | | | DERWENT; IBM TDB | |

| | 216 | ('in band' or in\$1band)same (multiplex\$3 | USPAT; | 2003/05/29 14:35 |
|---|------|--|------------------------|------------------|
| | | or mux or switch\$3 or combin\$4 or mix\$3) | US-PGPUB; | |
| | | same (stream\$3) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | 2002/05/20 14:40 |
| - | 130 | | USPAT; US-PGPUB; | 2003/05/29 14:49 |
| | | or mux or switch\$3 or combin\$4 or mix\$3) | EPO; JPO; | |
| | 1 | same (content or program) | DERWENT; | İ |
| | | | IBM TDB | |
| _ | 2 | 6300659.pn. | USPAT; | 2003/05/29 14:38 |
| | _ | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 6 | | USPĀT | 2003/05/29 14:51 |
| | | "5818438" "5850218" "6055315").PN. | | |
| - | 0 | | USPAT | 2003/05/29 14:58 |
| - | 94 | (('in band' or in\$1band) same (multiplex\$3 | USPAT; | 2003/05/29 15:25 |
| | | or mux or switch\$3 or combin\$4 or mix\$3) | US-PGPUB; EPO; JPO; | i |
| | | same (content or program)) and (@ad<=19991210 or @rlad<=19991210) | DERWENT; | |
| | | (@dd<=19991210 Of @ffad<-19991210) | IBM TDB | |
| _ | 2352 | ASI | USPAT; | 2003/05/29 15:30 |
| | 2332 | 101 | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 15 | ASI same (high adj speed) | USPAT; | 2003/05/29 15:26 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | (RGT same (high add amoud)) and | IBM_TDB USPAT; | 2003/05/29 15:53 |
| - | 9 | (ASI same (high adj speed)) and (@ad<=19991210) | US-PGPUB; | 2003/03/29 13:33 |
| | | (@dd<=19991210 Of @ffdd<-19991210) | EPO; JPO; | |
| | | | DERWENT; | - |
| | | | IBM TDB | |
| _ | 490 | ((addition\$5 or supplementa\$3 or | USPAT; | 2003/05/29 15:46 |
| | | subsidiary or ancillary or control or | US-PGPUB; | - |
| | | auxiliary or associate\$1 or program)near2 | EPO; JPO; | |
| | | (design or information or data or | DERWENT; | |
| | | content)) and ASI | IBM_TDB | 2002/05/20 15:48 |
| _ | 23 | ((addition\$5 or supplementa\$3 or | USPAT; US-PGPUB; | 2003/05/29 15:48 |
| | | subsidiary or ancillary or control or | EPO; JPO; | |
| | | auxiliary or associate\$1 or program)near2 (design or information or data or | DERWENT; | |
| | | content)) and ASI and 725/\$.ccls. | IBM TDB | |
| _ | 14 | | USPĀT; | 2003/05/29 15:53 |
| | | subsidiary or ancillary or control or | US-PGPUB; | |
| | | auxiliary or associate\$1 or program)near2 | EPO; JPO; | |
| | | (design or information or data or | DERWENT; | |
| | | content)) and ASI and (725/87-104).ccls. | IBM_TDB | 2002/05/20 15 52 |
| - | 13 | | USPĀT; | 2003/05/29 15:53 |
| | | subsidiary or ancillary or control or | US-PGPUB; EPO; JPO; | |
| | 1 | auxiliary or associate\$1 or program)near2 (design or information or data or | DERWENT; | |
| | 1 | content)) and ASI and 725/\$.ccls.) and | IBM TDB | |
| | 1 | (@ad<=19991210 or @rlad<=19991210) | | |
| _ | 7 | | USPAT; | 2003/05/29 16:00 |
| | 1 | subsidiary or ancillary or control or | US-PGPUB; | |
| | | auxiliary or associate\$1 or program)near2 | EPO; JPO; | |
| | | (design or information or data or | DERWENT; | |
| | | content)) and ASI and (725/87-104).ccls.) | IBM_TDB | |
| I | 1 | and (@ad<=19991210 or @rlad<=19991210) | ŀ | 1 |

| - | 6 | ((((addition\$5 or supplementa\$3 or | USPAT; | 2003/05/30 09:05 |
|----------|----------|---|-----------------------|------------------|
| | | subsidiary or ancillary or control or | US-PGPUB; | |
| | | auxiliary or associate\$1 or program) near2 | EPO; JPO; | |
| . | | (design or information or data or content)) and ASI and 725/\$.ccls.) and | DERWENT; | |
| | | (@ad<=19991210 or @rlad<=19991210)) not | 1511-155 | [|
| | | ((((addition\$5 or supplementa\$3 or | | <u> </u> |
| | | subsidiary or ancillary or control or | | |
| | | auxiliary or associate\$1 or program)near2 | |] |
| | | (design or information or data or | 1 | |
| | | content))and ASI and (725/87-104).ccls.) | | · |
| | | and (@ad<=19991210 or @rlad<=19991210)) | | |
| - | 0 | 6154772.pn. and IP | USPAT; | 2003/05/30 09:06 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; DERWENT; | |
| | | | IBM TDB | |
| _ | 20808 | 6154772.pn. and IP or 'internet protocol' | USPAT; | 2003/05/30 09:06 |
| | 20000 | o154772.pm. and II of internet protocol | US-PGPUB; | 2003,03,30 03.00 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | . 1 |
| - | 0 | 6154772.pn. and (IP or 'internet | USPAT; | 2003/05/30 09:06 |
| | | protocol') | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | 070/507 | IBM_TDB | 0000/11/10 10:05 |
| - | 604 | 370/537.ccls. | USPAT; US-PGPUB; | 2003/11/13 18:05 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| _ | 531 | 370/537.ccls. and multiplex\$4 | USPAT; | 2003/11/13 18:05 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 31 | 1 | USPAT; | 2003/11/13 18:53 |
| | | multiplex\$4) | US-PGPUB; | |
| | | | EPO; JPO; DERWENT; | |
| | | | IBM TDB | [] |
| _ | 28 | (370/537.ccls. and (statistical\$3 with | USPAT; | 2003/11/13 18:54 |
| | | multiplex\$4)) and (@ad<=19991210 or | US-PGPUB; | |
| | | @rlad<=19991210) | EPO; JPO; | · |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 23 | | USPAT; | 2003/11/13 18:54 |
| | | available) near2 bandwidth) same | US-PGPUB; | |
| | | multiplex\$4) | EPO; JPO; DERWENT; | |
| | | | IBM TDB | |
| - | 19 | (370/537.ccls. and (((spare or waste\$1 or | USPAT; | 2003/11/13 19:01 |
| 1 | | available) near2 bandwidth) same | US-PGPUB; | |
| 1 | | multiplex\$4)) and (@ad<=19991210 or | EPO; JPO; | |
| | | @rlad<=19991210) | DERWENT; | . |
| | 1 | l | IBM_TDB | |
| - | 2 | 5506844.pn. | USPAT; | 2003/11/13 19:01 |
| | | | US-PGPUB; | |
| | 1 | | EPO; JPO; DERWENT; | |
| | 1 | | IBM TDB | |
| l _ | 32 | (IP near2 format\$4) with MPEG | USPAT; | 2004/04/26 22:56 |
| | 52 | , House totallogal made hand | US-PGPUB; | |
| 1 | 1 | | EPO; JPO; | |
| 1 | 1 | | DERWENT; | |
| 1 | 1 | | IBM_TDB | |
| - | 3935 | (mux or multiplexer) with (format\$5) | USPĀT; | 2004/04/26 22:56 |
| 1 |] . | | US-PGPUB; | |
| | [| | EPO; JPO; | |
| | | | DERWENT; | |
| L | L | | IBM TDB | l |

| - | 2000 | ((mux or multiplexer) with (format\$5) with (data or application)) | USPAT; US-PGPUB; | 2004/04/26 22:59 |
|----|------|--|---------------------------|------------------|
| | | | EPO; JPO; DERWENT; | |
| | 1671 | (((mux or multiplexer) with (format\$5) | IBM_TDB USPAT; | 2004/04/26 22:58 |
| | 10.1 | with (data or application))) and | US-PGPUB; | |
| | | (@ad<=19991210 or @rlad<=19991210) | EPO; JPO; DERWENT; | |
| | 1187 | (((mux or multiplexer) with (format\$5) | IBM_TDB USPAT; | 2004/04/26 22:59 |
| - | 1107 | with (data or application))) and | US-PGPUB; | 2004/04/20 22.33 |
| | | (@ad<=19991210 or @rlad<=19991210)and (guide or application) | EPO; JPO; DERWENT; | |
| | 383 | | IBM_TDB USPAT; | 2004/04/26 22:58 |
| - | 363 | ((((mux or multiplexer) with (format\$5) with (data or application))) and | US-PGPUB; | 2004/04/20 22:30 |
| | | (@ad<=19991210 or @rlad<=19991210)and (guide or application)) and (370/\$.ccls. | EPO; JPO; DERWENT; | |
| | _ | or 725/\$.ccls.) | IBM_TDB | 2004/04/26 23:03 |
| - | 6 | ((mux or multiplexer) with statistical\$3 with (format\$5) with (data or | USPAT; US-PGPUB; | 2004/04/26 23:03 |
| | | application)) | EPO; JPO; DERWENT; | |
| | 11 | //may or multiployer) with statistics 100 | IBM_TDB USPAT; | 2004/04/26 22:59 |
| - | 11 | ((mux or multiplexer) with statistical\$3 with format\$5) | US-PGPUB; | 2004/04/26 22:59 |
| | | | EPO; JPO; DERWENT; | |
| | 0 | /// | IBM_TDB | 2004/04/26 22-50 |
| [- | 8 | (((mux or multiplexer) with statistical\$3 with format\$5)) and (@ad<=19991210 or | USPAT; US-PGPUB; | 2004/04/26 22:59 |
| | | @rlad<=19991210) | EPO; JPO; DERWENT; | |
| | 1369 | (((mux or multiplexer) near10 format\$5) | IBM_TDB USPAT; | 2004/04/26 23:03 |
| - | 1309 | with (data or application)) | US-PGPUB; | 2004/04/26 23:03 |
| | | | EPO; JPO; DERWENT; | |
| _ | 342 | (((mux or multiplexer) near10 format\$5) | IBM_TDB USPAT; | 2004/04/26 23:04 |
| | 342 | with (data or application) with (convert\$3 | US-PGPUB; | 2004/04/20 23:04 |
| | | or transform\$3 or reformat\$3)) | EPO; JPO; DERWENT; | |
| _ | 288 | ((((mux or multiplexer) near10 format\$5) | IBM_TDB USPAT; | 2004/04/26 23:07 |
| | | with (data or application) with (convert\$3 | US-PGPUB; | |
| | ļ | or transform\$3 or reformat\$3))) and (@ad<=19991210 or @rlad<=19991210) | EPO; JPO; DERWENT; | |
| - | 144 | ((((mux or multiplexer) near10 format\$5) | <pre>IBM_TDB USPAT;</pre> | 2004/04/26 23:07 |
| | | <pre>with (data or application) with (convert\$3 or transform\$3 or reformat\$3))) and</pre> | US-PGPUB; EPO; JPO; | |
| | | (@ad<=19991210 or @rlad<=19991210) and | DERWENT; | |
| - | 84 | video ((((mux or multiplexer) near10 format\$5) | <pre>IBM_TDB USPAT;</pre> | 2004/04/26 23:07 |
| | | with (data or application) with (convert\$3 or transform\$3 or reformat\$3))) and | US-PGPUB; EPO; JPO; | |
| | | (@ad<=19991210 or @rlad<=19991210) and | DERWENT; | |
| - | 23 | video and encod\$3 ((((mux or multiplexer) near10 format\$5) | <pre>IBM_TDB USPAT;</pre> | 2004/04/26 23:08 |
| | | <pre>with (data or application) with (convert\$3 or transform\$3 or reformat\$3))) and</pre> | US-PGPUB; EPO; JPO; | |
| | | (@ad<=19991210 or @rlad<=19991210) and video and encod\$3 and (725/\$.ccls. or | DERWENT; IBM TDB | |
| | | 370/\$.ccls.) | TDM_100 | |